

Product and Company Identification 1.0

Identification of the preparation: C8766 Series – No 95 Cyan,

Magenta and Yellow

Use of the preparation: Inkjet printing

Company Identification: Hewlett-Packard Company

1000 NE Circle Boulevard Corvallis, Oregon 97330-4239

United States

Emergency telephone number Hewlett-Packard Health Effects Line:

1-800-457-4209 (USA and Canada)

503-494-7199 (USA direct)

Singapore: +001-800-332-13321

General information telephone

number:

208-323-2551 (USA direct)

Local Contact Information: Ireland

Liffey Park Technology Campus

Barnhall Road. Leixlip, Co. Kildare Phone: 01 6150000

United Kingdom Hewlett-Packard, Ltd. Cain Road, Amen Corner

Bracknell, Berkshire, RG12 1HN

Phone: 1344 36-0000

Hazard Rating	NFPA/HMIS
Health	1
Flammability	1
Instability/Reactivity	0
Special	none

2.0 **Composition/Information on Hazardous Ingredients**

This ink supply contains an aqueous ink formulation.

For cyan ink only:

Component/Substance	CAS	EU Number	% by	EU classification
	Number		Weight	
Ethyl alkyldiol	confidential	confidential	<10	not classified
2-Pyrrolidone	616-45-5	210-843-1	<8	Xi; R36/37/38
Metal nitrate	confidential	confidential	<5	O; Xi; R8-36/37/38
1,5-Pentanediol	111-29-5	203-854-4	<10	not classified
Alkyldiol ethoxylate #1	confidential	confidential	<3	Xi; R21/22-38-41
Alkyldiol ethoxylate #2	confidential	confidential	<3	Xi; R36/38



Alkylquaternaryamine salt	confidential	confidential	<4	not classified
Water	7732-18-5	231-791-2	>50	not classified

For magenta ink only:

or magorita init omy.	•			
Component/Substance	CAS	EU	% by	EU classification
	Number	Number	Weight	
Ethyl alkyldiol	confidential	confidential	<10	not classified
2-Pyrrolidone	616-45-5	210-843-1	<8	Xi; R36/37/38
Metal nitrate	confidential	confidential	<5	O; Xi; R8-36/37/38
1,5-Pentanediol	111-29-5	203-854-4	<10	not classified
Alkyldiol ethoxylate #1	confidential	confidential	<3	Xi; R21/22-38-41
Alkyldiol ethoxylate #2	confidential	confidential	<3	Xi; R36/38
Substituted	confidential	confidential	<6	not classified
azonapthalenesulfonate				
salt #1				
Water	7732-18-5	231-791-2	>50	not classified

For yellow ink only:

Tor yellow link offity.	1			
Component/Substance	CAS	EU Number	% by	EU classification
	Number		Weight	
Ethyl alkyldiol	confidential	confidential	<10	not classified
2-Pyrrolidone	616-45-5	210-843-1	<8	Xi; R36/37/38
Metal nitrate	confidential	confidential	<5	O; Xi; R8-36/37/38
1,5-Pentanediol	111-29-5	203-854-4	<10	not classified
Alkyldiol ethoxylate #1	confidential	confidential	<3	Xi; R21/22-38-41
Alkyldiol ethoxylate #2	confidential	confidential	<3	Xi; R36/38
Substituted	confidential	confidential	<8	not classified
napthalenesulfonate				
salt #10				
Water	7732-18-5	231-791-2	>50	not classified

3.0 Hazard Identification

The cyan, magenta and yellow inks are not classified according to EU Directive 1999/45/EC.

3.1 Routes of Exposure Potential routes of overexposure to this product are skin

and eye contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under

normal use conditions.

Complete toxicity data are not available for this specific

formulation.

3.2 Acute Health Hazards Any potential hazards are presumed to be due to

exposure to the components.



<u>Ethyl alkyldiol:</u> Contact with eyes and skin may cause mild irritation.

<u>2-Pyrrolidone</u>: Contact with eyes and skin may result in irritation. Inhalation may result in respiratory irritation. Ingestion may result in nausea, vomiting, and diarrhea.

<u>Metal nitrate</u>: Contact with eyes and skin may cause irritation. Inhalation may cause respiratory irritation.

Note: Nitrates and their derivatives can cause methemoglobinemia and result in respiratory depression. Primary indicators of prolonged exposure include shortness of breath, headaches, dizziness and cyanosis (bluish skin and lips).

<u>1,5-Pentanediol:</u> Contact with eyes and skin may cause irritation.

Alkyldiol ethoxylate #1: Contact with eyes may result in severe irritation and corneal injury. Contact with skin may result in severe irritation. Ingestion may cause irritation of mouth and throat, nausea, vomiting and diarrhea.

Alkyldiol ethoxylate #2: Contact with eyes and skin may result in severe irritation. Ingestion may cause irritation of mouth, throat, nausea, vomiting, and diarrhea.

None known.

3.3 Chronic Health

Hazards

3.4 Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed

by EU, MAK, IARC, NTP or OSHA.

4.0 First Aid Measures

Emergency telephone number 1-800-457-4209 (USA and Canada)

Hewlett-Packard Health Effects 503-494-7199 (USA direct) **Line:** Singapore: +001-800-332-13321

Inhalation: Remove to fresh air. If symptoms persist, consult a

physician.

Ingestion: If stomach upset persists, consult a physician.

Skin: Wash affected areas thoroughly with soap and

water. If irritation persists, consult a physician.

Eyes: Do not rub eyes. Immediately flush with large

amounts of clean, lukewarm water (low pressure) for at least 15 minutes or until particles are removed. If

irritation persists, consult a physician.



5.0 Fire Fighting Measures

Extinguishing media: Water, dry chemical, carbon dioxide, foam

Unsuitable Extinguishing None known

Media:

Special Firefighting None known

Procedures:

Unusual fire and explosion No special hazards known

hazards:

Auto-ignition temperature: Not determined

Flashpoint (method): > 200° F, > 93.3° C (US EPA Method 1020)

Hazardous Combustion Refer to section 10

Products:

6.0 Accidental release measures

Spill or Leak Procedures: Standard eye and skin protection is recommended.

Environmental precautions: Do not discharge into drains (See also Section 13,

Disposal considerations)

7.0 Handling and Storage

Handling and Storage Keep out of the reach of children.

precautions: Keep away from extreme heat or cold.

Special Sensitivity: None

8.0 Exposure control/ personal protection

Exposure Limit Values: None established

Exposure Controls: Standard eye and skin protection for laboratory

chemical safety is recommended. Use in well

ventilated area.

9.0 Physical and chemical properties

pH: 6 - 7 for cyan, magenta and yellow ink

Boiling point: Not determined **Flash point:** > 200° F, > 93.3° C

Flammability: US NFPA/HMIS Flammability rating = 1

Explosive properties: Not applicable **Oxidizing properties:** Not applicable **Vapor Pressure:** Not determined

Relative density: Specific Gravity 1.0 to 1.2



Solubility: Soluble in water Partition coefficient: Not determined

Viscosity: Not determined
Vapor density: >1 (air = 1.0)
Evaporation rate: Not determined

Other: Not applicable

10.0 Stability and reactivity

Stability: Stable under normal storage conditions

Incompatibilities: Strong oxidizers and bases

Thermal decomposition Oxides of carbon/nitrogen/sulfur, water

products:

Hazardous polymerization: None

11.0 Toxicological information

Refer to Section 3 for potential heath effects and Section 4 for first aid measures. These ink formulations have not been tested.

12.0 Ecological information

Cyan, Magenta and Yellow Ink Formulations:

96 Hour LC50 LC50 < 400 mg/L Fathead Minnow

96 Hour LC50 Survival (100mg/L) = 100% Trout

Survival (10mg/L) = 100%

13.0 Disposal considerations

Dispose in accordance with all applicable US Federal, state, local, and country laws.

14.0 Transportation information

Not a regulated article under United States DOT, IATA, ADR, or RID.

UN Number: Not applicable

Class: Not applicable

Proper Shipping Name: Not applicable Packing Group: Not applicable

Marine Pollutant: Not listed Special Precautions: None noted



15.0 Regulatory information

US EPA TSCA Inventory: All ingredients are listed or exempt.

US EPA TSCA 12(b): Does not contain listed chemicals.

EU Notification: All ingredients are listed on EINECS

and/or ELINCS or exempt.

EU Hazard Label (1999/45/EC): This product does not require a label

according to EU Directive 1999/45/EC.

16.0 Other information

Date Prepared: May 24, 2004

HP-DMS Document Control 09000de780055a3c-eng

Number:

Revision Information: This document replaces all prior versions of the

MSDS

EU Risk (R) Phrase definitions: R8: Contact with combustible material may cause

fire

R21/22: Harmful in contact with skin and if

swallowed

R38: Irritating to skin

R41: Possible risks of irreversible effects

R36/38: Irritating to eyes and skin

R36/37/38: Irritating to eyes, respiratory system

and skin.

Other Information: This MSDS was prepared in compliance with EU

Directive 91/155/EEC as amended by 2001/58/EC and USA OSHA Hazard Communication Standard

(29CFR1910.1200).

DISCLAIMER: This Material Safety Data Sheet (MSDS) is provided without charge to customers of Hewlett-Packard. Data is the most current known to Hewlett-Packard at the time of preparation of this MSDS and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application.