

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Trade name or designation of the mixture	HP Color LaserJet CF382A-AC Yellow Print Cartridge
Registration number	-
Synonyms	None.
Issue date	19-Nov-2014
Version number	02
Revision date	09-Dec-2014
Supersedes date	19-Nov-2014
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	This product is a yellow toner preparation that is used in HP Color LaserJet Pro MFP M476 series printers.
Uses advised against	None known.
Company identification	Hewlett-Packard, Ltd. Cain Road, Amen Corner Bracknell, Berkshire, RG12 1HN Telephone 44 (0) 879 013 0790
	Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

Classification according to Directive 67/548/EEC or 1999/45/EC as amended

Hazard summary	
Physical hazards	Not classified for physical hazards.
Health hazards	Not classified as a health hazard.
Environmental hazards	Not classified for hazards to the environment.
Specific hazards	Not available.
Main symptoms	Not available.
2.2. Label elements	
Label according to Regulation	(EC) No. 1272/2008 as amended
Contains:	Amorphous silica, Pigment, Styrene acrylate copolymer, Wax
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	None.

This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC) 1907/2006. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH.

SECTION 3: Composition/information on ingredients 3.2. Mixtures **General information** CAS-No. / EC No. REACH Registration No. Index No. **Chemical name** % Notes Styrene acrylate copolymer <85 Trade Secret _ **Classification:** DSD: -**CLP:** -Wax <10 Trade Secret _ -**Classification:** DSD: -CLP: -Pigment <5 Trade Secret -_ **Classification:** DSD: -CLP: -Amorphous silica <3 7631-86-9 --231-545-4 **Classification:** DSD: -CLP: -

SECTION 4: First aid measures

General information	Not available.
4.1. Description of first aid me	easures
Inhalation	Move person to fresh air immediately. If irritation persists, consult a physician.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.
Ingestion	Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.
4.2. Most important symptoms and effects, both acute and delayed	Not available.
4.3. Indication of any immediate medical attention and special treatment needed	Not available.

SECTION 5: Firefighting measures

General fire hazards	Not available.
5.1. Extinguishing media	
Suitable extinguishing media	CO2, water, or dry chemical
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Not available.

5.3. Advice for firefighters			
Special protective equipment for firefighters	Not available.		
Special fire fighting procedures	If fire occurs in the printer, treat as an electrical fire.		
Specific methods	None established.		
SECTION 6: Accidental re	elease measures		
6.1. Personal precautions, prot	tective equipment and emergency procedures		
For non-emergency personnel	Minimize dust generation and accumulation.		
For emergency	Not available.		
responders			
6.2. Environmental precautions	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.		

SECTION 7: Handling and storage

6.4. Reference to other

sections

7.1. Precautions for safe handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature.
7.3. Specific end use(s)	Not available.

SECTION 8: Exposure controls/personal protection

Not available.

8.1. Control parameters	
Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Recommended monitoring procedures	Not available.
Derived no-effect level (DNEL)	Not available.
Predicted no effect concentrations (PNECs)	Not available.
Exposure guidelines	USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)
	ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)
	Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10 mg/m3
	TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)
	UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)
8.2. Exposure controls	
Appropriate engineering controls	Use in a well ventilated area.
Individual protection measure	s, such as personal protective equipment
General information	No personal respiratory protective equipment required under normal conditions of use.
Eye/face protection	Not available.
Skin protection	
- Hand protection	Not available.
- Other	Not available.
Respiratory protection	Not available.
Thermal hazards	Not available.
Hygiene measures	Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Appearance Fine powder Physical state Solid. Color Yellow Odor Silght plastic odor Odor threshold Not available. pH Not applicable Melting point/freezing point Not available. Initial boiling point and Not applicable Parporation rate Not applicable Flasm point Not applicable Parporation rate Not applicable Upper/lower flammability or explosive limits Flammability limit - lower (%) Flammability limit - lower (%) Not available. Vapor pressure Not available. Solubility (vater) Negligible in water. Partially soluble in toluene and xylene. Solubility (vater) Not available. Vapor pressure Not available. Solubility (vater) Not available. Solubility (vater) Not available. Solubility (vater) Not available. Solubility (vater) Not available. Not available. Not available. (n-octanol/water) >392 °F (> 200 °C) <t< th=""><th>SECTION 5. Physical and</th><th></th></t<>	SECTION 5. Physical and		
Physical state Solid. Color Yellow Odor Slight plastic odor Odor threshold Not available. pH Not available. pH Not available. Melting point/freezing point Not available. Initial boiling point and Not available. boiling range Not applicable Flash point Not applicable Evaporation rate Not applicable Flammability (solid, gas) Not available. Upper/lower flammability or =visve limits Flammability limit - lower flammability limit - lower Not available. upper (%) Not available. vapor pressure Not available. solubility (water) Not available. solubility (water) Not available. solubility (other) Not available. Partition coefficient (n-octanol/water) Not available. flamosolity (other) Not available. Partition coefficient (n-octanol/water) Not available. solubility (other) Not available. Viscosity	9.1. Information on basic phys	ical and chemical properties	
ColorYellowOdorSlight plastic odorOdor thresholdNot available.pHNot applicableMelting point/freezing pointNot available.Initial boiling point and boiling rangeNot applicableFlash pointNot applicableEvaporation rateNot applicableEvaporation rateNot applicableFlammability (solid, gas)Not available.Upper/lower flammability or evulsive limitsFlammability limit - lower (%)Not available.Vapor pressureNot applicableSolubility(ies)Not available.Solubility (water)Not available.Solubility (other)Not available.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Partition coefficient (n-octanol/water)Not available.Solubility (other)Not available.Partition coefficient (n-octanol/water)Not available.Partition temperature (n-octanol/water)Not available.Partition coefficient (n-octanol/water)Not available.Partition temperature (n-octanol/water) </th <th>Appearance</th> <th>Fine powder</th>	Appearance	Fine powder	
OdorSlight plastic odorOdor thresholdNot available.pHNot applicableMelting point/freezing pointNot available.Initial boiling point and boiling rangeNot applicableFlash pointNot applicableEvaporation rateNot applicableFlammability (solid, gas)Not available.Upper/lower flammability or v=visive limits flammability limit - lower (%)Not available.Flammability limit - lower (%)Not available.Vapor pressureNot available.Solubility(ies) solubility (water)Not available.Solubility (water)Not available.Not available.Not available.Vapor pressureNot available.Solubility (other)Not available.Not available.Not available.Yation coefficient (n-octanol/water)Not available.Not available.Not available.Partition coefficient (n-octanol/water)Not available.ViscosityNot available.ViscosityNot available.ViscosityNot available.9.2. Other information Percent volatileNot available.9.2. Other information Percent volatile0 % estimatedSoftening point176 - 266 °F (80 - 130 °C)	Physical state	Solid.	
Odor thresholdNot available.pHNot applicableMelting point/freezing pointNot available.Initial boiling point and boiling rangeNot applicableFlash pointNot applicableEvaporation rateNot applicableFlammability (solid, gas)Not available.Upper/lower flammability or v=vsive limits flammability limit - lower (%)Not available.Flammability limit - lower (%)Not available.Vapor pressureNot available.Solubility (water)Not available.solubility (water)Not available.Solubility (other)Not available.Not available.Not available.Yapor pressureNot available.Solubility (other)Not available.Not available.Not available.Yapor pressureNot available.Solubility (other)Not available.Not available.Not available.Yation coefficientNot available.Not available.Not available.YascosityNot available.ViscosityNot available.ViscosityNot available.YascosityNot ava	Color	Yellow	
pH Not applicable Melting point/freezing point Not available. Initial boiling point and boiling range Not applicable Flash point Not applicable Evaporation rate Not applicable Flammability (solid, gas) Not available. Upper/lower flammability or =visive limits Flammability limit - lower (%) Flammability limit - lower (%) Not available. Vapor pressure Not available. Solubility (water) Not applicable Solubility (water) Not available. Solubility (water) Not available. Partition coefficient (n-octanol/water) Not available. Auto-ignition temperature Not applicable Decomposition temperature Not applicable Viscosity Not applicable Viscosity Not applicable Sublizing properties Not available. Oxidizing properties Not available. 9.2. Other information Not available. 9.2. Other information 0 % estimated Softening point 176 - 266 °F (80 - 130 °C)	Odor	Slight plastic odor	
Melting point/freezing pointNot available,Initial boiling point and boiling rangeNot applicableFlash pointNot applicableEvaporation rateNot applicableEvaporation rateNot available.Upper/lower flammability or explosive limitsFlammability (solid, gas)I opper/lower flammability or explosive limitsFlammability limit - lower (%)Flammability limit - lower (%)Not available.Vapor pressureNot available.Solubility(ies)Not available.Solubility(ies)Not available.Solubility (water)Negligible in water. Partially soluble in toluene and xylene.Solubility (other)Not available.Partition coefficient (n-octanol/water)Not applicableAuto-ignition temperatureNot applicableDecomposition temperatureNot applicableExplosive propertiesNot available.Oxidizing propertiesNot available.9.2. Other information Percent volatile0 % estimated softening pointNot applicable176 - 266 °F (80 - 130 °C)	Odor threshold	Not available.	
Initial boiling rangeNot applicableFlash pointNot applicableFlash pointNot applicableEvaporation rateNot applicableFlammability (solid, gas)Not available.Upper/lower flammability or =v=losive limitsFlammability limit - lower (%)Not flammable (%)Flammability limit - lower (%)Not flammable.Imper (%)Not available.Vapor pressureNot available.Solubility(ies)Not applicableSolubility(ies)Not available.Solubility(other)Not available.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot applicableDecomposition temperature> 392 °F (> 200 °C)ViscosityNot available.Solubilizing propertiesNot available.9.2. Other information Percent volatile0 % estimated9.2. Other information Percent volatile0 % estimatedSoftening point176 - 266 °F (80 - 130 °C)	рН	Not applicable	
boiling range Flash point Not applicable Evaporation rate Not applicable Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not flammable (%) Flammability limit - Not available. (%) Flammability limit - Not available. Upper (%) Vapor pressure Not applicable Solubility(ies) Solubility(ies) Solubility (water) Negligible in water. Partially soluble in toluene and xylene. Solubility (other) Not available. Partition coefficient Not available. Partition coefficient Not available. Partition temperature Not applicable Decomposition temperature Not applicable Decomposition temperature Not applicable Explosive properties Not available. Oxidazing properties Not available. 9.2. Other information Percent volatile 0 % estimated Softening point 176 - 266 °F (80 - 130 °C)	Melting point/freezing point	Not available.	
Evaporation rateNot applicableFlammability (solid, gas)Not available.Upper/lower flammability or explosive limitsFlammability limit - lower (%)Not flammable (%)Flammability limit - lower (%)Not available.Flammability limit - lower (%)Not available.Vapor pressureNot available.Solubility(ies)Not available.Solubility (water)Negligible in water. Partially soluble in toluene and xylene.Solubility (other)Not available.Partition coefficient (n-octanol/water)Not applicableAuto-ignition temperature (socity)Not applicablePercomposition temperature (solubilizy properties)Not available.ViscosityNot applicableDecomposition temperature (socitzing properties)Not available.9.2. Other information Percent volatile0 % estimated9.2. Other information Percent volatile0 % estimated		Not applicable	
Flammability (solid, gas)Not available.Upper/lower flammability or explosive limitsFlammability limit - lowerNot flammable (%)Flammability limit - lowerNot available.(%)Not available.Vapor pressureNot applicableSolubility(ies)Not available.Solubility (water)Not available.Solubility (other)Not available.Partition coefficient (n-octanol/water)Not applicableAuto-ignition temperatureNot applicableDecomposition temperatureNot applicableViscosityNot applicableExplosive propertiesNot available.Oxidizing propertiesNot available.9.2. Other informationNot available.Percent volatile0 % estimatedSoftening point176 - 266 °F (80 - 130 °C)	Flash point	Not applicable	
Upper/lower flammability or explosive limitsFlammability limit - lower (%)Not flammable (%)Flammability limit - upper (%)Not available. vapor pressureVapor pressureNot applicableSolubility(ies) Solubility (water) Solubility (other)Negligible in water. Partially soluble in toluene and xylene. Not available.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperature Decomposition temperature SolubileNot applicableDecomposition temperature Solubility negligibleNot applicablePartison coefficient (n-octanol/water)Not applicableAuto-ignition temperature Decomposition temperatureNot applicableDecomposition temperature SolubileNot applicableDecomposition temperature SolubileNot available.Oxidizing properties Softening pointNot available.9.2. Other information Percent volatile Softening point0 % estimated Soften 130 °C)	Evaporation rate	Not applicable	
Flammability limit - lower (%)Not flammableFlammability limit - upper (%)Not available.Vapor pressureNot available.Solubility(ies)Not applicableSolubility (water)Negligible in water. Partially soluble in toluene and xylene.Solubility (other)Not available.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperature Decomposition temperatureNot applicableViscosityNot applicableExplosive properties Oxidizing propertiesNot available.Oxidizing properties SolubileNot available.9.2. Other information Percent volatile Softening point0 % estimated	Flammability (solid, gas)	Not available.	
(%) Flammability limit - upper (%) Not available. upper (%) Vapor pressure Not applicable Solubility(ies) Solubility (water) Negligible in water. Partially soluble in toluene and xylene. Solubility (other) Not available. Partition coefficient Not available. Not available. Partition temperature Not applicable Not applicable Solubility (water) Not applicable Not applicable Partition temperature Not applicable Not applicable Solubility (water) Not applicable Not applicable Percent volatile 0 % estimated Not estimated 176 - 266 °F (80 - 130 °C)	Upper/lower flammability or explosive limits		
upper (%)Not applicableVapor pressureNot applicableSolubility(ies)Vegligible in water. Partially soluble in toluene and xylene.Solubility (water)Negligible in water. Partially soluble in toluene and xylene.Solubility (other)Not available.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot applicableDecomposition temperature> 392 °F (> 200 °C)ViscosityNot applicableExplosive propertiesNot available.Oxidizing propertiesNot information available.9.2. Other information0 % estimatedPercent volatile0 % estimatedSoftening point176 - 266 °F (80 - 130 °C)	-	Not flammable	
Solubility(ies)Negligible in water. Partially soluble in toluene and xylene.Solubility (water)Not available.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot applicableDecomposition temperatureNot applicableViscosityNot applicableExplosive propertiesNot available.Oxidizing propertiesNot available.9.2. Other information Percent volatile0 % estimatedSoftening point176 - 266 °F (80 - 130 °C)		Not available.	
Solubility (water)Negligible in water. Partially soluble in toluene and xylene.Solubility (other)Not available.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot applicableDecomposition temperatureNot applicableDecomposition temperatureNot applicableViscosityNot applicableExplosive propertiesNot available.Oxidizing propertiesNot available.9.2. Other information Percent volatile0 % estimatedSoftening point176 - 266 °F (80 - 130 °C)	Vapor pressure	Not applicable	
Solubility (other)Not available.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot applicableDecomposition temperature> 392 °F (> 200 °C)ViscosityNot applicableExplosive propertiesNot available.Oxidizing propertiesNot available.9.2. Other information Percent volatile0 % estimatedSoftening point176 - 266 °F (80 - 130 °C)	Solubility(ies)		
Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot applicableDecomposition temperature> 392 °F (> 200 °C)ViscosityNot applicableExplosive propertiesNot available.Oxidizing propertiesNot available.9.2. Other information Percent volatile0 % estimatedSoftening point176 - 266 °F (80 - 130 °C)	Solubility (water)	Negligible in water. Partially soluble in toluene and xylene.	
(n-octanol/water)Not applicableAuto-ignition temperatureNot applicableDecomposition temperature> 392 °F (> 200 °C)ViscosityNot applicableExplosive propertiesNot available.Oxidizing propertiesNo information available.9.2. Other informationPercent volatile0 % estimatedSoftening point176 - 266 °F (80 - 130 °C)	Solubility (other)	Not available.	
Decomposition temperature> 392 °F (> 200 °C)ViscosityNot applicableExplosive propertiesNot available.Oxidizing propertiesNo information available.9.2. Other information0 % estimatedPercent volatile0 % estimatedSoftening point176 - 266 °F (80 - 130 °C)		Not available.	
ViscosityNot applicableExplosive propertiesNot available.Oxidizing propertiesNo information available.9.2. Other information0 % estimatedPercent volatile0 % estimatedSoftening point176 - 266 °F (80 - 130 °C)	Auto-ignition temperature	Not applicable	
Explosive propertiesNot available.Oxidizing propertiesNo information available.9.2. Other information0 % estimatedPercent volatile0 % estimatedSoftening point176 - 266 °F (80 - 130 °C)	Decomposition temperature	> 392 °F (> 200 °C)	
Oxidizing properties No information available. 9.2. Other information Percent volatile 0 % estimated 0 % estimated Softening point 176 - 266 °F (80 - 130 °C)	Viscosity	Not applicable	
9.2. Other information Percent volatile0 % estimatedSoftening point176 - 266 °F (80 - 130 °C)	Explosive properties	Not available.	
Percent volatile 0 % estimated Softening point 176 - 266 °F (80 - 130 °C)	Oxidizing properties	No information available.	
Softening point 176 - 266 °F (80 - 130 °C)	9.2. Other information		
	Percent volatile	0 % estimated	
Specific growing 1 1 2	Softening point	176 - 266 °F (80 - 130 °C)	
	Specific gravity	1 - 1.2	

SECTION 10: Stability and reactivity

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under normal storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Imaging Drum: Exposure to light
10.5. Incompatible materials	Strong oxidizers
10.6. Hazardous decomposition products	Carbon monoxide and carbon dioxide.

SECTION 11: Toxicological information

General information Not available.

11.1. Information on toxicological effects

Skin corrosion/irritation	Not available.
Serious eye damage/eye irritation	Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.
Respiratory sensitization	Not available.
Skin sensitization	Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Material name: CF382A-AC

Germ cell mutagenicity	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)		
Carcinogenicity	Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).		
Reproductive toxicity	Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).		
Specific target organ toxicity - single exposure	Not available.		
Specific target organ toxicity - repeated exposure	Not available		
Aspiration hazard	Not available		
Components	Species		Test Results
Amorphous silica (CAS 7631-86-9)	•		
Acute			
Oral			
LD50	Mouse		> 15000 mg/kg
	Rat		> 22500 mg/kg
Mixture versus substance information	Not available		
Other information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.		
SECTION 12: Ecological i	nformatior	ı	
Aquatic toxicity	Not available		
12.1. Toxicity		mg/l, Fish, 96.00 Hours	
Product	100	Species	Test Results
CF382A-AC		Species	
Aquatic			
-	LC50	Fish	> 100 mg/l, 96 Hours
-			> 100 mg/r, 50 mours
12.2. Persistence and degradability	Not available		
12.3. Bioaccumulative potential	Not available		
12.3. Bioaccumulative	Not available Not available		
12.3. Bioaccumulative potential Partition coefficient			
12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow)	Not available		
12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) Bioconcentration factor (BCF) 12.4. Mobility in soil 12.5. Results of PBT and vPvB	Not available Not available Not available		
 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) Bioconcentration factor (BCF) 12.4. Mobility in soil 12.5. Results of PBT 	Not available Not available Not available Not a PBT or		ogical effects.
 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) Bioconcentration factor (BCF) 12.4. Mobility in soil 12.5. Results of PBT and vPvB assessment 12.6. Other adverse effects 	Not available Not available Not available Not a PBT or This product	vPvB substance or mixture. has not been tested for ecol	ogical effects.
 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) Bioconcentration factor (BCF) 12.4. Mobility in soil 12.5. Results of PBT and vPvB assessment 	Not available Not available Not available Not a PBT or This product nsideratio	vPvB substance or mixture. has not been tested for ecol	ogical effects.
12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) Bioconcentration factor (BCF) 12.4. Mobility in soil 12.5. Results of PBT and vPvB assessment 12.6. Other adverse effects SECTION 13: Disposal co	Not available Not available Not available Not a PBT or This product nsideratio	vPvB substance or mixture. has not been tested for ecolo ns	ogical effects.
12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) Bioconcentration factor (BCF) 12.4. Mobility in soil 12.5. Results of PBT and vPvB assessment 12.6. Other adverse effects SECTION 13: Disposal co 13.1. Waste treatment method Residual waste	Not available Not available Not available Not a PBT or This product Insideration	vPvB substance or mixture. has not been tested for ecol ns	ogical effects.
12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) Bioconcentration factor (BCF) 12.4. Mobility in soil 12.5. Results of PBT and vPvB assessment 12.6. Other adverse effects SECTION 13: Disposal co 13.1. Waste treatment method	Not available Not available Not available Not a PBT or This product Insideration Not available	vPvB substance or mixture. has not been tested for ecol ns	ogical effects.
12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) Bioconcentration factor (BCF) 12.4. Mobility in soil 12.5. Results of PBT and vPvB assessment 12.6. Other adverse effects SECTION 13: Disposal co 13.1. Waste treatment method Residual waste Contaminated packaging	Not available Not available Not available Not a PBT or This product Is Not available Not available Not available Do not shred	vPvB substance or mixture. has not been tested for ecolo ns toner cartridge, unless dust- ticles may form explosive m	ogical effects. •explosion prevention measures are taken. Finely ixtures in air. Dispose of in compliance with federal, state,

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

National regulations 15.2. Chemical safety assessment	Not available. Not available.
-	Not available.
National regulations	
	Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS),
Not regulated.	
	the protection of young people at work
Not regulated.	
Directive 98/24/EC on agents at work	the protection of the health and safety of workers from the risks related to chemical
Not regulated.	
Directive 96/82/EC (Se	eveso II) on the control of major-accident hazards involving dangerous substances
Other EU regulations	
Not regulated.	
Directive 92/85/EEC: o are breastfeeding	on the safety and health of pregnant workers and workers who have recently given birth or
mutagens at work Not regulated.	
	on the protection of workers from the risks related to exposure to carcinogens and
Regulation (EC) No. 19 amended	07/2006, REACH Annex XVII Substances subject to restriction on marketing and use as
Restrictions on use	
Not listed.	-
	3/2011 Annex XIV Substances Subject to Authorization
Authorizations	
Not listed.	or a content of the or the or the content of the order of
Not listed. Regulation (FC) No. 19	07/2006, REACH Article 59(1) Candidate List as currently published by ECHA
	6/2006 Annex II Pollutant Release and Transfer Registry
Not listed.	
	9/2008 concerning the export and import of dangerous chemicals, Annex V as amended
Not listed.	
Not listed. Regulation (EC) No. 68 amended	9/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as
	9/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as
Regulation (EC) No. 68 amended Not listed.	9/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as
Not listed.	by 2004 On persistent organic poliutants, Annex I as amendeu
Not listed.	0/2004 On persistent organic pollutants, Annex I as amended
Regulation (EC) No. 10	05/2009 on substances that deplete the ozone layer, Annex II
Not listed.	
-	05/2009 on substances that deplete the ozone layer, Annex I
EU regulations	
	vironmental regulations/legislation specific for the substance or mixture
15.1. Safety, health and en	

References	Not available.
Information on evaluation method leading to the	Not available.
classification of mixture	

Full text of any statements or R-phrases and H-statements under Sections 2 to 15	None.
Revision information	None.
Training information	Not available.
Disclaimer	This Safety Data Sheet document is provided without charge to customers of Hewlett-Packarc Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
Issue date	19-Nov-2014
Manufacturer information	Hewlett-Packard Company 11311 Chinden Boulevard Boise, ID 83714 USA (Direct) 1-503-494-7199 (Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds
List of abbreviations	Not available.