

	<b>M S D S (1)</b> <b>MATERIAL SAFETY DATA SHEET</b>	RB-085 BALL PEN. QUICK ID
FOR PRODUCERS SUPPLIERS WAREHOUSERS	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	
<b>SECTION I - GENERAL INFORMATION</b>		
Manufacturer's name : KOTOBUKI & CO.,LTD.	Telephone no. : +492-33-3 <small>(Country Code: + ...)</small>	
Address : 138 KUJIRAI, KAWAGOE SAITAMA, 350-0815 JAPAN	Telefax no. : +492-33-2 Date : FEB. 02, 2001 Prepara	
<b>SECTION II - HAZARDOUS INGREDIENTS (SPECIFY COMPONENT)</b>		
Hazardous / ingredients (chemical or common name(s)) (3) CAS No. TLV V		
ppm % NO HAZARDOUS INGREDIENTS KNOWN AT THIS TIME.		
<b>SECTION III - PHYS. / CHEM. CHARACTERISTICS (SPECIFY COMP)</b>		
Appearance and odour DOUBLE LAYER PLASTIC BARREL, NON ODOUR		
Boiling point (°C) :	N.D.	Density (g/cm) :
Vapour density (air=1) :	N.D.	Melting point (°C) :
Solubility in water (%) :	N.A.	Evaporation rate :
		(butyl acetate = 1)
Pressurized :	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> X	% Volatile : (4)
Other characteristics : NONE		
<b>SECTION IV - FIRE AND EXPLOSION HAZARD DATA</b>		
Flash point mechod used :	NONE	Explosion limits (Vol. -%)
Extinguishing media : CO <sub>2</sub> , DRY CHEMICAL FORM, WATER FOG OR SPRAY		
Special fire fighting precautions :	NONE	Autoignition temp. (°C) :
List haardous products of decomposition : NONE DATA		

Other advice : \_\_\_\_\_  
NONE

IMPORTANT

- (1) Do not leave any blank spaces. If required information is unavailable, unknown, so indicate as follows :  
not applicable = N.A. ; not determined = N.D.
- (2) Product type and common name ( used on label and list )
- (3) Cited in any National Regulations on the classification, packaging and labelling of preparations, paints, varnishes, printing inks, adhesives and similar products.
- (4) Part of the mixture which evaporates.



Figure 1

/MECHANICAL PENCIL	
ENTIFIER (2)	
388	
713	
ed by Y. MITSUYA	
√T      Component	
ONENT)	
N.D.	
- 160 (F: 302- 320)	
N.A.	
N.A.	
LEL :	UEL :
NONE	NONE
NONE	

, or does not apply,

of dangerous substances,

SECTION V - STORAGE HAZARDS	
Stability : unstable <input type="checkbox"/>	Conditions to avoid :
stable <input checked="" type="checkbox"/>	
Incompatibility : (materials to avoid)	STRONG OXIDIZING AGENTS, OIL
List hazardous products of decomposition :	N.D.
Hazardous polymerization :	May occur <input type="checkbox"/> Conditions Will not occur <input checked="" type="checkbox"/>
SECTION VI - HEALTH HAZARDS	
1. Acute : (5)      N.D.	2. Chronic : (5)
Signs and symptoms of overexposure : (6)	N.D.
Medical conditions generally aggravated by exposure :	N.D.
Chemical listed as carcinogen :	None
Emergency and first aid procedures :	
Routes of entry	Emergency procedures
Inhalation	CONSULT PHYSICIAN

Eyes	IRRIGATE EYES WITH WATER IMMEDIATE
Skin	WASH OFF WITH SOAP AND WATER
Ingestion	IF SWALLOWED AND INDISPOSED, CONS
<b>SECTION VII - SPECIAL PRECAUTIONS</b>	
Special precautions to be taken in handling :	AVOID IMPACT SUCH AS BY
Other precautions :	AVOID USE OTHER THAN FC
Steps to be taken in case material is released or spilled :	TAKE UP BY MECHANICAL M
Waste disposal methods :	DISPOSE AS NONFLAMMABL LOCAL REGULATIONS
<b>SECTION VIII - SPECIAL PROTECTION INFORMAT</b>	
Respiratory protection : (specify type)	NOT REQUIRED
Ventilation :	NOT Local NOT REQUIRED exhaust : REQUIRED
Skin and eye protection :	NOT REQUIRED
Work / hygienic practices :	NOT REQUIRED
<p>(5) LD50 shall be noted if known.</p> <p>(6) Health hazard by ingestion or inhalation shall be noted if known.</p>	



Figure 2

AVOID HIGH TEMP. (OVER 50°C) AND LOW TEMP. (UNDER 0°C)	
, VOLATILE AGENTS	
s to avoid	
N.D.	
	Seek medical advice
	<input checked="" type="checkbox"/>



ELY		X	
ULT PHYSICIAN		X	
DROPPING			
OR WRITING			
IEANS			
E WASTE IN ACCORDANCE WITH			
TION / CONTROL MEASURES			
Mechanical : NOT Other (general) REQUIRED			
not applicable = N.A. not determined = N.D.			


























-1-

---

パイロットプレジジョン :
GG9GAOB 4.74φ
ホルダー用 消しゴム
早見出し ( 2 )