



3-in-1 Wireless colour LED laser printer

DCP-L3510CDW



PRINT



COPY



SCAN



WIRELESS

brother.co.uk/dcp-l3510cdw

3-in-1 Wireless colour LED laser printer

This multifunction device offers fast print, copy and scan functions all in an efficient desktop unit. Straight from the box this machine can print up to 1,000 pages* and offers time saving features including 2-sided printing. Print from your mobile device, and spend less time refilling paper with the high capacity 250 sheet paper tray.

DCP-L3510CDW



Key features:

- Fast print speeds of 18 pages per minute (ppm)
- Large paper capacity of 250 sheets
- Automatic 2-sided printing
- Wireless connectivity
- Easily print from your mobile or tablet device
- 512MB memory
- Up to 1,000 pages* in-box toners.

Add some colour to your business

Colour can be impactful, and even everyday business documents need a hint of colour. The DCP-L3510CDW offers up to 2,400dpi print quality, and uses LED laser technology to produce high quality professional prints.

Easy to set up, easy to use

This reliable desktop device is easy to use and simple to set up. With the large in-box toners giving you up to 1,000 pages straight from the box, your new machine is ready to use straight away.

Save time and money

These desktop devices are fast, reliable and great value. The built-in 250 sheet paper capacity allows you to keep working longer without having to replenish the paper tray. By using the high yield supplies, you won't have to spend time changing your toners as often, as well as achieving a competitive cost per page for both colour and mono. By boosting productivity, and reducing any down time, your office can run more smoothly.

Don't add to the office noise

Within a busy office environment, you don't need any additional noise to distract you from your work. The DCP-L3510CDW boasts print speeds of up to 18ppm in full colour at under 45dB, which is quietest in its class, making it perfect for desktop working.

General

Technology

Electrophotographic
LED

Processor

Cortex-A9 800MHz
Sub: ARM946 133MHz

Wireless network

IEEE 802.11b/g/n

Control panel

2 line LCD

Memory

512MB

Local interface

Hi-Speed USB 2.0

Mobile print

Print from your mobile devices
to your Brother printer

Print

Print speed (A4)

18ppm colour and mono

Print speed 2-sided (A4)

6 sides per minute
colour and mono.
Automatically print on both
sides of the paper

Resolution

2,400dpi (600 x 2,400)

Quiet mode

A mode to reduce the printing
noise by reducing the print
speed to 12ppm

First print out time

Less than 15.5 seconds from
ready mode

Warm up time

Less than 28 seconds from
sleep mode

Print languages

PCL6, BR-Script3
PDF Version 1.7, XPS
Version 1.0

Embedded fonts (PCL)

73 scalable fonts,
12 bitmap fonts

Embedded fonts (Postscript)

66 scalable fonts

Embedded barcodes (PCL)

*Code39, Interleaved 2 of 5,
FIM (US-PostNet), Post Net
(US-PostNet), EAN-8,
EAN-13, UPC-A, UPC-E,
Codabar, ISBN (EAN),
ISBN (UPC-E), Code128
(set A, set B, set C),
EAN128 (set A, set B, set C),
Code93, GS1Databar, MSI

Printer functions

N-up printing³

Reduce up to 2, 4, 9, 16
or 25 A4 pages into just
one A4 page
(Mac, up to 2, 4, 6, 9, or 16)

Poster printing⁴

Enlarge 1 A4 page into a poster
using 4, 9, 16 or 25 A4 pages

Watermark printing⁴

Watermark your documents
with predefined text or with your
own user-defined messages

ID printing⁴

Add identification to your
printed documents (date and
time, short custom message or
PC username)

Manual 2-sided print⁴

Manual 2-sided printing
(recommended for media not
supported by automatic 2-sided
print)

Booklet printing⁴

Print documents in A5
booklet format using automatic
2-sided print

Print profiles³

Store your favourite driver
settings as profiles to easily
recall them

Print text in black⁴

Converts all text in your
documents to black when
printed

Printer drivers

Windows[®]

Windows[®] 10
(32 and 64 bit editions)
Windows[®] 8
(32 and 64 bit editions)
Windows[®] 7
(32 and 64 bit editions)
Windows[®] Server 2016
(32 and 64 bit editions)*
Windows[®] Server 2012,
2012R2 and 2008R2*
Windows[®] Server 2008
(32 and 64 bit editions)*

Macintosh⁵

macOS v10.11.6, 10.12.x,
10.13.x

Linux⁵

CUPS, LPD/LPRng
(32 and 64 bit editions)

PostScript universal printer driver⁵

Driver for Windows[®] that
enables you to print to any
network or locally-connected
printer that supports PostScript

PCL driver⁵

Generic PCL XL driver

* Windows[®] Server supports network printing only

1 Approx declared yield value in accordance with ISO/IEC 19798.

2 Calculated with 80g/m² paper.

3 Windows[®] & Mac[®] only.

4 Windows[®] only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

All specifications correct at the time of printing (August 2018) and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Paper handling

Paper input

Standard tray - 250 sheets
Manual feed slot - 1 sheet

Paper output

150 sheets face down
(80g/m²)
1 sheet face-up
(straight paper path)

Media type and weights standard tray

Plain and recycled paper
(between 60 - 163g/m²)

Media sizes standard tray

A4, letter, A5, A5 (long edge),
A6, executive

Media type and weights 2-sided print

Plain and recycled paper
(between 60 - 163g/m²)

Media sizes 2-sided print

A4

Envelope and label printing

Manual feed slot: support for 1
envelope / sheet

Media type and weights manual feed slot

Plain, recycled, bond, label,
envelope paper
(between 60 - 163g/m²)

Media sizes manual feed slot

Width: 76.2 to 216 mm,
Length: 116 to 355.6 mm
Envelope: COM-10, DL, C5,
Monarch

Mobile and web connectivity

Brother iPrint&Scan (Android)

Print from, scan to, send faxes,
preview received faxes, preview
copies and check the machine
status from an Android device

Brother iPrint&Scan (iPad / iPhone / iPod)

Print from, scan to, send faxes,
preview received faxes, preview
copies and check the machine
status from an iPad / iPhone /
iPod Touch

Brother iPrint&Scan (Windows® Phone)

Print from and scan to a smart
phone running the Windows®
Phone operating system

Brother iPrint&Scan (Windows® 8,10 & RT)

Print from and scan to a
Windows® 8,10 or Windows
RT tablet

Google Cloud Print 2.0

Print most common file types
from any Google Cloud Print
enabled application

Apple AirPrint

Print from and scan to most
common file types from any
AirPrint enabled application

Brother Print Service Plugin

Print from Android devices
without a dedicated app

Mopria

Print most common file types
from Mopria supported Android
devices

Copy

Copy speed (A4)

18 copies per minute
colour and mono

First copy out time

Less than 17.5 seconds from
ready mode colour and mono

Resolution

Up to 600 x 600dpi

Multi-copying/stack/sort

Makes up to 99 copies of each
page / stacks or sorts

Enlargement/reduction ratio

Reduce or Increase document
sizes from 25% to 400% in 1%
increments

N in 1 copying

Allows the user to compress
2 or 4 pages on to a single
A4 sheet

2 in 1 ID copying

Allows the user to copy both
sides of an ID card to a single
A4 sheet

Grey scale

256 shades of grey (8 bit)

Receipt copying

Produces clearer copies of
receipts

Enlarge text copy⁸

Makes reading copied
documents easier if the size of
the text on the original
document is small

1 Approx declared yield value in accordance with ISO/IEC 19798.

2 Calculated with 80g/m² paper.

3 Windows® & Mac® only.

4 Windows® only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

All specifications correct at the time of printing (August 2018) and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Scan	Scanner type Contact image sensor Colour and mono scanning Yes	Scan resolution from scanner glass 1,200 x 2,400dpi Interpolated scan resolution 19,200 x 19,200dpi	Colour depth 48 bit colour processing (input) 24 bit colour processing (output) Grey scale 16 bit colour processing (input) 8 bit colour processing (output)
-------------	---	--	---

Scanner functions

Scan to e-mail Scan and share documents via e-mail server Scan to OCR Scan documents directly into your word processing application for instant editing Scan to image Scan into your preferred image editing software Scan to file Scan to a file on your computer	Scan to network folder Scan documents to a nominated folder on your network without using a Windows PC Scan to FTP Scan documents directly to a FTP server Scan profile³ Create up to 25 preset network, FTP profiles for an easy way to store multiple scan settings	Scan to SharePoint^{4&7} Scan documents directly into SharePoint Scan to searchable PDF Scan documents to searchable PDF files Auto deskew Yes Base colour Removal Yes ID scan Yes 1 to 2 scan Yes
---	--	---

Scanner drivers

Windows[®] TWAIN & WIA Windows [®] 10 (32 and 64 bit editions) Windows [®] 8 (32 and 64 bit editions) Windows [®] 7 (32 and 64 bit editions)	Macintosh⁵ TWAIN macOS v10.11.6, 10.12.x, 10.13.x	Linux⁵ SANE (32 and 64 bit editions)
---	---	---

Fleet management tools

Unattended installer⁴ Ability to centrally deploy and customise our drivers and software MSI installer⁴ Modular installers that can be distributed through Active Directory [®]	BRAdmin Light^{4&5} LAN/WAN management software Embedded web server Web based print management software embedded onto the device	Driver deployment wizard^{4 &5} Easily create print drivers for hassle free deployment over your network PrintSmart Cost Control Monitor and control printing costs for all Brother and 3rd party devices
---	---	--

For more information on PrintSmart solutions visit: brother.co.uk

1 Approx declared yield value in accordance with ISO/IEC 19798.

2 Calculated with 80g/m² paper.

3 Windows[®] & Mac[®] only.

4 Windows[®] only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother Software.

8 Must be web connected.

All specifications correct at the time of printing (August 2018) and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Software

Brother iPrint&Scan (Windows & Mac)⁵

Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from Windows, macOS or PC

Nuance® PaperPort 14 SE⁵

Document management and sharing program

Network and Security

Wireless network

IEEE 802.11b/g/n
(infrastructure mode)
IEEE 802.11g/n
(Wi-Fi Direct)

Wireless network security

WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES)
*Wi-Fi Direct supports WPA2-PSK (AES) only.APOP, POP before SMTP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP), SNMP v3 802.1x (LEAP, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos

Wi-Fi Direct™

Print wirelessly without having to go through a wireless access point (both automatic and manual methods supported)

Wireless setup support

Wi-Fi Protected Setup

Wireless applications

Vertical pairing

IPv4

ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, SMTP Client, IPP/IPPS, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print/Scan), SNTIP Client

IPv6

NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMPv6, SNTIP Client, Web Services (Print/Scan)

IP filter

Restrict which network users can or cannot access the device over the network (IPv4 only)

E-mail notifications

Automatically have the device send e-mail alerts when it requires attention, such as when the toner is low or needs replacing

E-mail reports

Receive usage reports on a regular basis via e-mail

Setting lock

Secures access to the devices control panel by locking it

Secure Function Lock 3.0

Restrict access to individual or groups of users over a network. Can be used with PC user login names for up to 100 users

Secure print

Protect print jobs with a four digit release code required at the device in order for them to be printed

Supplies and accessories

In-box toner¹

1,000 pages BK/C/M/Y

Standard yield toner¹

1,000 pages BK/C/M/Y (TN-243)

High yield toner¹

3,000 pages BK
2,300 pages C/M/Y (TN-247)

Drum unit¹

18,000 pages
(1 page / job)
(DR-243CL)

Belt unit¹

Approx. 50,000 pages
(2 page / job)
(BU-223CL)

Waste toner box¹

Approx. 50,000 pages
(5 page / job)
(WT-223CL)

Dimensions and weights

With carton (WxDxH)

589 x 523 x 521 mm
25.6kg

Without carton (WxDxH)

410 x 475 x 368 mm
21.7kg

¹ Approx declared yield value in accordance with ISO/IEC 19798.

² Calculated with 80g/m² paper.

³ Windows® & Mac® only.

⁴ Windows® only.

⁵ Optional download.

⁶ Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

All specifications correct at the time of printing (August 2018) and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Duty cycles

Recommended monthly
300 to 1,500 pages monthly
print volume

Maximum monthly⁶
Up to 30,000 pages monthly
print volume

Environment

Power consumption

Printing: 400W
Ready: 80W
Quiet mode: 280W
Sleep: 9.7W
Deep sleep: 1.2W
Off: 0.04W

TEC value

0.9 kWh/Week

Sound pressure level

Printing: 45dB(A)
Ready: 33dB(A)
Quiet mode: 43dB(A)

Sound power

Printing: 5.92B(A) mono /
5.86B(A) colour
Ready: 4.67B(A)
Quiet mode: 5.71B(A) mono /
5.73B(A) colour
Deep sleep: inaudible

Power saving

This enables the printer to
consume less energy when not
in use

Toner saving

This reduces the toner usage
and helps to reduce the total
cost of printer ownership

Energy Star

Yes

GS mark

Yes

Eco mode

Yes

1 Approx declared yield value in accordance with ISO/IEC 19798.

2 Calculated with 80g/m² paper.

3 Windows® & Mac® only.

4 Windows® only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.
For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

All specifications correct at the time of printing (August 2018) and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com

All specifications correct at the time of printing (August 2018) and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.